POLIPLAST SRL

V.LE V. EMANUELE II, 41, BERGAMO, Bergamo, Lombardia, Italia
E-mail: amministrazione@poliplast-srl.com **Telephone:** 02 90967123 **Company Website:** www.isolantipoliplast.it

Image	Product	Polymer	PSV
	Casseri a rimanere per muri ICF - Pignatta monodirezionale per solaio CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virg ma
–	–	15%	15%	–	–	–	–	8

Dimension	600 mm x 300 mm x (210 mm - 290 mm)
Description	Casseri a rimanere per solai ICF. Colore: grigio

https://www.ippr.it/en/products/casseri-a-rimanere-per-muri-icf-pignatta-monodirezionale-per-solaio-cam/

Image	Product	Polymer	PSV
	Casseri a rimanere per muri ICF da mix eco - Pannello per muro ICF CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virg ma
–	–	15%	15%	–	–	–	–	8

Dimension	(1000 mm - 1200 mm) x 300 mm x (50 mm - 225 mm)
Description	Casseri a rimanere per muri. Colore: grigio

https://www.ippr.it/en/products/casseri-a-rimanere-per-muri-icf-pannello-per-muri-icf-cam/

Image	Product	Polymer	PSV
	Casseri a rimanere per muri ICF da mix eco - Pignatta bidirezionale per solaio CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virg ma
–	–	15%	15%	–	–	–	–	8

Dimension	600 mm x 600 mm x (200 mm - 240 mm)
Description	Casseri a rimanere per solai ICF. Colore: grigio chiaro

https://www.ippr.it/en/products/casseri-a-rimanere-per-muri-icf-pignatta-bidirezionale-per-solaio-cam/

Image	Product	Polymer	PSV
	Imballaggi angolari e paraspigoli da mix eco - Angolare PSV	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	da 60 mm x 60 mm x 60 mm a 110 mm x 110 mm x 80-95 mm
Description	Imballaggi angolari e paraspigoli. Colore: grigio chiaro

https://www.ippr.it/en/products/imballaggi-angolari-e-paraspigoli-angolare-psv/

Image	Product	Polymer	PSV
	Imballaggi angolari e paraspigoli da mix eco - Paraspigolo PSV	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	da 55 mm x 55 mm x 99 mm a 1060 mm x 66 mm x 70-140 mm
Description	Imballaggi angolari e paraspigoli. Colore: grigio chiaro

https://www.ippr.it/en/products/imballaggi-angolari-e-paraspigoli-paraspigolo-psv/

Image	Product	Polymer	PSV
	Imballaggi per elettrodomestici - Angolari posteriori e anteriori PSV	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	800 mm x 50/70 mm x 130 mm
Description	Angolari anteriori e posteriori per imballaggi per elettrodomestici. Colore: grigio, bianco, nero

https://www.ippr.it/en/products/imballaggi-per-elettrodomestici-angolari-posteriori-e-anteriori-psv/

Image	Product	Polymer	PSV
	Imballaggi per elettrodomestici da mix eco - Base/Fondo PSV, Coperchio/Top PSV	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	650 mm x 550 mm/570 mm x 70 mm
Description	Base e coperchio per imballaggi per elettrodomestici. Colore: biancon grigio, biano, nero

https://www.ippr.it/en/products/imballaggi-per-elettrodomestici-base-fondo-psv-coperchio-top-psv/

Image	Product	Polymer	PSV
plastica seconda vita MIX ECO	Isolamento termico da mix eco - Libro Klett CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	–	–	–	–	–	–

Dimension	1 m x 2,4 m. Spessore 20 mm ÷ 55 mm
Description	Pannello isolante piano a rotolo in EPS. Colore: bianco, grigio, bianco/nero

https://www.ippr.it/en/products/isolamento-termico-libro-klett-cam/

Image	Product	Polymer	PSV
plastica seconda vita MIX ECO	Isolamento termico da mix eco - Libro Klett CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	–	–	–	–	–	–

Dimension	1 m x 2,4 m. Spessore 20 mm ÷ 55 mm
Description	Pannello isolante piano a rotolo in EPS. Colore: bianco, grigio, bianco/nero

https://www.ippr.it/en/products/isolamento-termico-da-mix-eco-libro-klett-cam/

Image	Product	Polymer	PSV
	Isolamento termico da mix eco - Libro Tacker CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	–	–	–	–	–	–

Dimension	1 m x 2,4 m. Spessore 20 mm ÷ 55 mm
Description	Pannello isolante piano a rotolo in EPS. Colore: bianco, grigio, bianco/nero

https://www.ippr.it/en/products/isolamento-termico-libro-tacker-cam/

Image	Product	Polymer	PSV
	Isolamento termico da mix eco - Libro Tacker CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	1 m x 2,4 m. Spessore 20 mm ÷ 55 mm
Description	Pannello isolante piano a rotolo in EPS. Colore: bianco, grigio, bianco/nero

https://www.ippr.it/en/products/isolamento-termico-da-mix-eco-libro-tacker-cam/

Image	Product	Polymer	PSV
	Isolamento termico da mix eco - Pannello bugnato CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	1350 mm - 1400 mm x 750 mm - 800 mm. Spessore 12 mm- 60 mm (base) x 18 mm - 30 mm (fungo)
Description	Panneli isolanti per sistemi radianti. Colore: bianco, grigio, bianco, nero

https://www.ippr.it/en/products/isolamento-termico-da-mix-eco-pannello-bugnato-cam/

Image	Product	Polymer	PSV
	Isolamento termico da mix eco - Pannello Isolante Blife CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	–	–	–	–	–	–

Dimension	1196 mm x 1196 mm x 40 mm
Description	Pannelli isolanti in EPS per sistemi radianti a soffitto. Colore: bianco, grigio, bianco/nero

https://www.ippr.it/en/products/isolamento-termico-pannello-isolante-blife-cam/

Image	Product	Polymer	PSV
	Isolamento termico da mix eco - Pannello Isolante Blife CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	1196 mm x 1196 mm x 40 mm
Description	Pannelli isolanti in EPS per sistemi radianti a soffitto. Colore: bianco, grigio, bianco/nero

https://www.ippr.it/en/products/isolamento-termico-da-mix-eco-pannello-isolante-blife-cam/

Image	Product	Polymer	PSV
	Isolamento termico da mix eco - Rotolo Piano Klett CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	–	–	–	–	–	–

Dimension	1 m x 6 m ÷ 12 m. Spessore 20 mm ÷ 55 mm
Description	Pannello isolante piano a rotolo in EPS. Colore: bianco, grigio, bianco/nero

https://www.ippr.it/en/products/isolamento-termico-rotolo-piano-klett-cam/

Image	Product	Polymer	PSV
	Isolamento termico da mix eco - Rotolo Piano Klett CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	1 m x 6 m ÷ 12 m. Spessore 20 mm ÷ 55 mm
Description	Pannello isolante piano a rotolo in EPS. Colore: bianco, grigio, bianco/nero

https://www.ippr.it/en/products/isolamento-termico-da-mix-eco-rotolo-piano-klett-cam/

Image	Product	Polymer	PSV
	Isolamento termico da mix eco - Rotolo Piano Tacker CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	–	–	–	–	–	–

Dimension	1 m x 6 m ÷ 12 m. Spessore 20 mm ÷ 55 mm
Description	Pannello isolante piano a rotolo in EPS. Colore: bianco, grigio, bianco/nero

https://www.ippr.it/en/products/isolamento-termico-rotolo-piano-tacker-cam/

Image	Product	Polymer	PSV
	Isolamento termico da mix eco - Rotolo Piano Tacker CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	1 m x 6 m ÷ 12 m. Spessore 20 mm ÷ 55 mm
Description	Pannello isolante piano a rotolo in EPS. Colore: bianco, grigio, bianco/nero

https://www.ippr.it/en/products/isolamento-termico-da-mix-eco-rotolo-piano-tacker-cam/

Image	Product	Polymer	PSV
	Pannello isolante per sistema a cappotto - Lastra per cappotto CAM a incastro	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	1000 mm x 300 mm x (50 mm - 225 mm)
Description	Pannello isolante per sistema a cappotto. Colore: grigio, bianco, nero

https://www.ippr.it/en/products/pannello-isolante-per-sistema-a-cappotto-lastra-per-cappotto-cam-a-incastro/

Image	Product	Polymer	PSV
	Pannello isolante per sistema a cappotto da mix eco - Lastra per cappotto CAM liscia	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	1000 mm x 500 mm x (80 mm - 120 mm)
Description	Pannello isolante per sistema a cappotto. Colore: grigio, bianco, nero

https://www.ippr.it/en/products/pannello-isolante-per-sistema-a-cappotto-da-mix-eco-lastra-per-cappotto-cam-liscia/

Image	Product	Polymer	PSV
	Pannello isolante per sistemi radianti da mix eco - Pannello Termoformato CAM	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	1400 mm x 800 mm. Spessore da 5 mm a 90 mm (base) da 15 mm, a 22 mm (fungo)
Description	Pannello isolante per sistemi radianti. Colore: bianco, grigio, nero

https://www.ippr.it/en/products/pannello-isolante-per-sistemi-radianti-da-mix-eco-pannello-termoformato-cam/

Image	Product	Polymer	PSV
	Portabottiglie da mix eco - Cantinetta PSV	EPS	PSV MixEco

Waste type	Waste origin	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
–	–	15%	15%	–	–	–	–	85%

Dimension	da 112 mm x 112 mm x 366 mm a 335 mm x 225 mm x 366 mm
Description	Le cantinette per il settore enologico sono state progettate per proteggere e garantire l'integrità delle bottiglie da eventuali urti che possono verificarsi durante il trasporto (bastano due giri di nastro adesivo per chiudere l'imballo per una spedizione sicura, senza utilizzare alcuna scatola di cartone). Inoltre l'EPS, grazie alle proprietà di isolamento termico, favorisce la conservazione del contenuto delle bottiglie, proteggendolo dagli sbalzi di temperatura. Le cantinette sono versatili perché i fori di alloggiamento sono conformati in modo da adattarsi a qualsiasi tipologia di bottiglia standard (borgognotta, bordolese, renana, champagnotta, che possono essere trasportate con un unico tipo di imballo), inoltre sono resistenti agli agenti atmosferici e possono essere utilizzate come espositore per la realizzazione di scaffalature. Da 1-2-3-6 bottiglie. Colore: grigio chiaro

https://www.ippr.it/en/products/portabottiglie-cantinetta-psv/