

S.T.S. POLISTIROLI SRL

Via Ortigara 28, 37069 VILLAFRANCA (VR)

E-mail: info@stspolistiroli.it Telephone: 045 6303523 Company Website: www.stspolistiroli.it

Image	plastica seconda vita MIX ECO	<table><tr><th colspan="4">Product</th><th colspan="2">Polymer</th><th>PSV</th></tr><tr><td colspan="4">Isolamento termico - Blocco semilavorato - ReLife 100-31</td><td colspan="2">EPS</td><td>PSV MixEco</td></tr><tr><td>Recycled total</td><td>Post-consumer recycled</td><td>Pre-consumer recycled</td><td>By-product total</td><td>External by-product</td><td>Internal by-product</td><td>Virgin material</td></tr><tr><td>15%</td><td>5%</td><td>10%</td><td>—</td><td>—</td><td>—</td><td>85%</td></tr><tr><td>Dimension</td><td colspan="6">da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm</td></tr><tr><td>Description</td><td colspan="6">Blocco semilavorato. Colore: grigio con grafite</td></tr><tr><td colspan="7">https://www.ippr.it/en/prodotti/isolamento-termico-blocco-sagomato-relife-100-31/</td></tr></table>	Product				Polymer		PSV	Isolamento termico - Blocco semilavorato - ReLife 100-31				EPS		PSV MixEco	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material	15%	5%	10%	—	—	—	85%	Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm						Description	Blocco semilavorato. Colore: grigio con grafite						https://www.ippr.it/en/prodotti/isolamento-termico-blocco-sagomato-relife-100-31/						
Product				Polymer		PSV																																													
Isolamento termico - Blocco semilavorato - ReLife 100-31				EPS		PSV MixEco																																													
Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material																																													
15%	5%	10%	—	—	—	85%																																													
Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm																																																		
Description	Blocco semilavorato. Colore: grigio con grafite																																																		
https://www.ippr.it/en/prodotti/isolamento-termico-blocco-sagomato-relife-100-31/																																																			
Image	image not found or type unknown	<table><tr><th colspan="4">Product</th><th colspan="2">Polymer</th><th>PSV</th></tr><tr><td colspan="4">Isolamento termico - Blocco semilavorato - ReLife 150</td><td colspan="2">EPS</td><td>PSV MixEco</td></tr><tr><td>Recycled total</td><td>Post-consumer recycled</td><td>Pre-consumer recycled</td><td>By-product total</td><td>External by-product</td><td>Internal by-product</td><td>Virgin material</td></tr><tr><td>15%</td><td>5%</td><td>10%</td><td>—</td><td>—</td><td>—</td><td>85%</td></tr><tr><td>Dimension</td><td colspan="6">da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm</td></tr><tr><td>Description</td><td colspan="6">Blocco semilavorato in EPS. Colore: bianco o colorato</td></tr><tr><td colspan="7">https://www.ippr.it/en/prodotti/isolamento-termico-pannello-semilavorato-relife-150/</td></tr></table>	Product				Polymer		PSV	Isolamento termico - Blocco semilavorato - ReLife 150				EPS		PSV MixEco	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material	15%	5%	10%	—	—	—	85%	Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm						Description	Blocco semilavorato in EPS. Colore: bianco o colorato						https://www.ippr.it/en/prodotti/isolamento-termico-pannello-semilavorato-relife-150/						
Product				Polymer		PSV																																													
Isolamento termico - Blocco semilavorato - ReLife 150				EPS		PSV MixEco																																													
Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material																																													
15%	5%	10%	—	—	—	85%																																													
Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm																																																		
Description	Blocco semilavorato in EPS. Colore: bianco o colorato																																																		
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-semilavorato-relife-150/																																																			
Image	plastica seconda vita MIX ECO	<table><tr><th colspan="4">Product</th><th colspan="2">Polymer</th><th>PSV</th></tr><tr><td colspan="4">Isolamento termico - Blocco semilavorato - ReLife 150-31</td><td colspan="2">EPS</td><td>PSV MixEco</td></tr><tr><td>Recycled total</td><td>Post-consumer recycled</td><td>Pre-consumer recycled</td><td>By-product total</td><td>External by-product</td><td>Internal by-product</td><td>Virgin material</td></tr><tr><td>15%</td><td>5%</td><td>10%</td><td>—</td><td>—</td><td>—</td><td>85%</td></tr><tr><td>Dimension</td><td colspan="6">da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm</td></tr><tr><td>Description</td><td colspan="6">Blocco semilavorato. Colore: grigio con grafite</td></tr><tr><td colspan="7">https://www.ippr.it/en/prodotti/isolamento-termico-blocco-semilavorato-relife-150-31/</td></tr></table>	Product				Polymer		PSV	Isolamento termico - Blocco semilavorato - ReLife 150-31				EPS		PSV MixEco	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material	15%	5%	10%	—	—	—	85%	Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm						Description	Blocco semilavorato. Colore: grigio con grafite						https://www.ippr.it/en/prodotti/isolamento-termico-blocco-semilavorato-relife-150-31/						
Product				Polymer		PSV																																													
Isolamento termico - Blocco semilavorato - ReLife 150-31				EPS		PSV MixEco																																													
Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material																																													
15%	5%	10%	—	—	—	85%																																													
Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm																																																		
Description	Blocco semilavorato. Colore: grigio con grafite																																																		
https://www.ippr.it/en/prodotti/isolamento-termico-blocco-semilavorato-relife-150-31/																																																			
Image	image not found or type unknown	<table><tr><th colspan="4">Product</th><th colspan="2">Polymer</th><th>PSV</th></tr><tr><td colspan="4">Isolamento termico - Blocco semilavorato - ReLife 200</td><td colspan="2">EPS</td><td>PSV MixEco</td></tr><tr><td>Recycled total</td><td>Post-consumer recycled</td><td>Pre-consumer recycled</td><td>By-product total</td><td>External by-product</td><td>Internal by-product</td><td>Virgin material</td></tr><tr><td>15%</td><td>5%</td><td>10%</td><td>—</td><td>—</td><td>—</td><td>85%</td></tr><tr><td>Dimension</td><td colspan="6">da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm</td></tr><tr><td>Description</td><td colspan="6">Blocco semilavorato in EPS. Colore: bianco o colorato</td></tr><tr><td colspan="7">https://www.ippr.it/en/prodotti/isolamento-termico-pannello-semilavorato-relife-200/</td></tr></table>	Product				Polymer		PSV	Isolamento termico - Blocco semilavorato - ReLife 200				EPS		PSV MixEco	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material	15%	5%	10%	—	—	—	85%	Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm						Description	Blocco semilavorato in EPS. Colore: bianco o colorato						https://www.ippr.it/en/prodotti/isolamento-termico-pannello-semilavorato-relife-200/						
Product				Polymer		PSV																																													
Isolamento termico - Blocco semilavorato - ReLife 200				EPS		PSV MixEco																																													
Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material																																													
15%	5%	10%	—	—	—	85%																																													
Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm																																																		
Description	Blocco semilavorato in EPS. Colore: bianco o colorato																																																		
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-semilavorato-relife-200/																																																			
Image	plastica seconda vita MIX ECO	<table><tr><th colspan="4">Product</th><th colspan="2">Polymer</th><th>PSV</th></tr><tr><td colspan="4">Isolamento termico - Blocco semilavorato - ReLife 30</td><td colspan="2">EPS</td><td>PSV MixEco</td></tr><tr><td>Recycled total</td><td>Post-consumer recycled</td><td>Pre-consumer recycled</td><td>By-product total</td><td>External by-product</td><td>Internal by-product</td><td>Virgin material</td></tr><tr><td>15%</td><td>5%</td><td>10%</td><td>—</td><td>—</td><td>—</td><td>85%</td></tr><tr><td>Dimension</td><td colspan="6">da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm</td></tr><tr><td>Description</td><td colspan="6">Blocco semilavorato. Colore: grigio con grafite</td></tr><tr><td colspan="7">https://www.ippr.it/en/prodotti/isolamento-termico-blocco-semilavorato-relife-30/</td></tr></table>	Product				Polymer		PSV	Isolamento termico - Blocco semilavorato - ReLife 30				EPS		PSV MixEco	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material	15%	5%	10%	—	—	—	85%	Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm						Description	Blocco semilavorato. Colore: grigio con grafite						https://www.ippr.it/en/prodotti/isolamento-termico-blocco-semilavorato-relife-30/						
Product				Polymer		PSV																																													
Isolamento termico - Blocco semilavorato - ReLife 30				EPS		PSV MixEco																																													
Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material																																													
15%	5%	10%	—	—	—	85%																																													
Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm																																																		
Description	Blocco semilavorato. Colore: grigio con grafite																																																		
https://www.ippr.it/en/prodotti/isolamento-termico-blocco-semilavorato-relife-30/																																																			

	Product	Isolamento termico - Blocco semilavorato - ReLife 31				Polymer	EPS	PSV	PSV MixEco
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material		
	15%	5%	10%	–	–	–		85%	
	Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm							
	Description	Blocco semilavorato. Colore: grigio con grafite							
	https://www.ippr.it/en/prodotti/isolamento-termico-relife-31-relife-100-31-relife-30/								
	Product	Isolamento termico - Blocco semilavorato - ReLife 34				Polymer	EPS	PSV	PSV MixEco
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material		
	15%	5%	10%	–	–	–		85%	
	Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm							
	Description	Blocco semilavorato in EPS. Colore: bianco o colorato							
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-semilavorato-relife-34/								
	Product	Isolamento termico - Blocco semilavorato - ReLife 35				Polymer	EPS	PSV	PSV MixEco
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material		
	15%	5%	10%	–	–	–		85%	
	Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm							
	Description	Blocco semilavorato in EPS. Colore: bianco o colorato							
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-semilavorato-relife-35/								
	Product	Isolamento termico - Blocco semilavorato - ReLife 36				Polymer	EPS	PSV	PSV MixEco
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material		
	15%	5%	10%	–	–	–		85%	
	Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm							
	Description	Blocco semilavorato in EPS. Colore: bianco o colorato							
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-semilavorato-relife-36/								
	Product	Isolamento termico - Blocco semilavorato - ReLife 38				Polymer	EPS	PSV	PSV MixEco
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material		
	15%	5%	10%	–	–	–		85%	
	Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm							
	Description	Blocco semilavorato in EPS. Colore: bianco o colorato							
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-semilavorato-relife-38/								
	Product	Isolamento termico - Blocco semilavorato - ReLife WG				Polymer	EPS	PSV	PSV MixEco
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material		
	15%	5%	10%	–	–	–		85%	
	Dimension	da 1000 mm x 500 mm x 500 mm a 4000 mm x 1000 mm x 1600 mm							
	Description	Blocco semilavorato. Colore: grigio con grafite							
	https://www.ippr.it/en/prodotti/isolamento-termico-blocco-semilavorato-relife-wg/								


Image	Product	Polymer	PSV				
	Isolamento termico - Pannello piano - ReLife 100-31 Etics		EPS	PSV MixEco			
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	—	—	—	85%
	Dimension	da 300 mm x 100 mm x 10 mm a 4000 mm x 1200 mm x 500 mm					
	Description	Pannello in EPS piano. Colore: bianco o colorato					
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-piano-relife-100-31-etics/						
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello piano - ReLife 150 Etics		EPS	PSV MixEco			
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	—	—	—	85%
	Dimension	da 300 mm x 300 mm x 10 mm a 4000 mm x 1200 mm x 500 mm					
	Description	Pannello in EPS piano. Colore: bianco o colorato					
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-piano-relife-150-etics/						
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello piano - ReLife 150-31 Etics		EPS	PSV MixEco			
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	—	—	—	85%
	Dimension	da 300 mm x 100 mm x 10 mm a 4000 mm x 1200 mm x 500 mm					
	Description	Pannello in EPS piano. Colore: bianco o colorato					
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-piano-relife-150-31-etics/						
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello piano - ReLife 200 Etics		EPS	PSV MixEco			
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	—	—	—	85%
	Dimension	da 300 mm x 300 mm x 10 mm a 4000 mm x 1200 mm x 500 mm					
	Description	Pannello in EPS piano. Colore: bianco o colorato					
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-piano-relife-200-etics/						
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello piano - ReLife 30 Etics		EPS	PSV MixEco			
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	—	—	—	85%
	Dimension	da 300 mm x 100 mm x 10 mm a 4000 mm x 1200 mm x 500 mm					
	Description	Pannello in EPS piano. Colore: bianco o colorato					
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-piano-relife-30-etics/						
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello piano - ReLife 31 Etics		EPS	PSV MixEco			
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	—	—	—	85%
	Dimension	da 300 mm x 100 mm x 10 mm a 4000 mm x 1200 mm x 500 mm					
	Description	Pannello in EPS piano. Colore: bianco o colorato					
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-piano-relife-31-etics/						




Image	Product	Polymer	PSV				
	Isolamento termico - Pannello piano - ReLife 34 Etics	EPS	PSV MixEco				
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	–	–	–	85%
	Dimension	da 300 mm x 300 mm x 10 mm a 4000 mm x 1200 mm x 500 mm					
	Description	Pannello in EPS piano. Colore: bianco o colorato					
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-piano-relife-34-etics/							
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello piano - ReLife 35 Etics	EPS	PSV MixEco				
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	–	–	–	85%
	Dimension	da 300 mm x 300 mm x 10 mm a 4000 mm x 1200 mm x 500 mm					
	Description	Pannello in EPS piano. Colore: bianco o colorato					
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-piano-relife-35-etics/							
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello piano - ReLife 36 Etics	EPS	PSV MixEco				
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	–	–	–	85%
	Dimension	da 300 mm x 300 mm x 10 mm a 4000 mm x 1200 mm x 500 mm					
	Description	Pannello in EPS piano. Colore: bianco o colorato					
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-piano-relife-36-etics/							
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello piano - ReLife 38 Etics	EPS	PSV MixEco				
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	–	–	–	85%
	Dimension	da 300 mm x 300 mm x 10 mm					
	Description	Pannello in EPS piano. Colore: bianco o colorato					
https://www.ippr.it/en/prodotti/isolamento-termico-relife-38-etics-relife-36-etics-relife-36-smart-relife-35-etics-relife-34-etics-relife-150-etics-relife-200-smart/							
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello piano - ReLife WG Etics	EPS	PSV MixEco				
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	–	–	–	85%
	Dimension	da 300 mm x 100 mm x 10 mm a 4000 mm x 1200 mm x 500 mm					
	Description	Pannello in EPS piano. Colore: bianco o colorato					
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-piano-relife-wg-etics/							
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello sagomato - ReLife 100-31 Etics	EPS	PSV MixEco				
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	–	–	–	85%
	Dimension	da 300 mm x 100 mm x 10 mm a 4000 mm x 1000 mm x 1600 mm					
	Description	Pannello sagomato in EPS. Colore: bianco o colorato					
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-sagomato-relife-100-31-etics/							



Image	Product	Polymer	PSV				
	Isolamento termico - Pannello sagomato - ReLife 150 Etics		EPS	PSV MixEco			
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	–	–	–	85%
	Dimension	da 300 mm x 300 mm x 10 mm a 4000 mm x 1200 mm x 500 mm					
	Description	Pannello sagomato in EPS. Colore: bianco o colorato					
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-sagomato-relife-150-etics/							
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello sagomato - ReLife 150-31 Etics		EPS	PSV MixEco			
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	–	–	–	85%
	Dimension	da 300 mm x 100 mm x 10 mm a 4000 mm x 1000 mm x 1600 mm					
	Description	Pannello sagomato in EPS. Colore: bianco o colorato					
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-sagomato-relife-150-31-etics/							
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello sagomato - ReLife 200 Etics		EPS	PSV MixEco			
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	–	–	–	85%
	Dimension	da 300 mm x 300 mm x 10 mm a 4000 mm x 1200 mm x 500 mm					
	Description	Pannello sagomato in EPS. Colore: bianco o colorato					
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-sagomato-relife-200-etics/							
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello sagomato - ReLife 30 Etics		EPS	PSV MixEco			
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	–	–	–	85%
	Dimension	da 300 mm x 100 mm x 10 mm a 4000 mm x 1000 mm x 1600 mm					
	Description	Pannello sagomato in EPS. Colore: bianco o colorato					
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-sagomato-relife-30-etics/							
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello sagomato - ReLife 31 Etics		EPS	PSV MixEco			
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	–	–	–	85%
	Dimension	da 300 mm x 100 mm x 10 mm a 4000 mm x 1000 mm x 1600 mm					
	Description	Pannello sagomato in EPS. Colore: bianco o colorato					
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-sagomato-relife-31-etics/							
Image	Product	Polymer	PSV				
	Isolamento termico - Pannello sagomato - ReLife 31 Wall		EPS	PSV MixEco			
	Recycled total	Post-consumer recycled	Pre-consumer recycled	By-product total	External by-product	Internal by-product	Virgin material
	15%	5%	10%	–	–	–	85%
	Dimension	da 2850 mm x 600 mm x 30 mm a 2850 mm x 600 mm x 200 mm					
	Description	Pannello sagomato in EPS. Colore: bianco o colorato					
https://www.ippr.it/en/prodotti/isolamento-termico-pannello-sagomato-relife-31-wall/							

Image	Product	Polymer	PSV
	Isolamento termico - Pannello sagomato - ReLife 34 Etics	EPS	PSV MixEco
	Recycled total	Post-consumer recycled	Pre-consumer recycled
	15%	5%	10%
	By-product total	External by-product	Internal by-product
	–	–	–
	Dimension	da 300 mm x 300 mm x 10 mm a 4000 mm x 1200 mm x 500 mm	
	Description	Pannello sagomato in EPS. Colore: bianco o colorato	
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-sagomato-relife-34-etics/		
	Recycled total	Post-consumer recycled	Pre-consumer recycled
	15%	5%	10%
	Dimension	da 300 mm x 300 mm x 10 mm a 4000 mm x 1200 mm x 500 mm	
	Description	Pannello sagomato in EPS. Colore: bianco o colorato	
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-sagomato-relife-35-etics/		
	Recycled total	Post-consumer recycled	Pre-consumer recycled
	15%	5%	10%
	Dimension	da 300 mm x 300 mm x 10 mm a 4000 mm x 1200 mm x 500 mm	
	Description	Pannello sagomato in EPS. Colore: bianco o colorato	
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-sagomato-relife-36-etics/		
	Recycled total	Post-consumer recycled	Pre-consumer recycled
	15%	5%	10%
	Dimension	da 300 mm x 300 mm x 10 mm a 4000 mm x 1200 mm x 500 mm	
	Description	Pannello sagomato in EPS. Colore: bianco o colorato	
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-sagomato-relife-38-etics/		
	Recycled total	Post-consumer recycled	Pre-consumer recycled
	15%	5%	10%
	Dimension	da 300 mm x 100 mm x 10 mm a 4000 mm x 1000 mm x 1600 mm	
	Description	Pannello sagomato in EPS. Colore: bianco o colorato	
	https://www.ippr.it/en/prodotti/isolamento-termico-pannello-sagomato-relife-wg-etics/		
	Recycled total	Post-consumer recycled	Pre-consumer recycled
	15%	15%	–
	Dimension	prodotto sfuso	
	Description	Perle. Colore: grigio con grafite	
	https://www.ippr.it/en/prodotti/perle-relife-beton-g/		
	Recycled total	Post-consumer recycled	Pre-consumer recycled
	15%	15%	–